





Technical Commercial Data Sheet

HE trolleys



Technical Commercial Data Sheet **HE trolleys**

HE 605 T Bar trolley



Technical features

- Contact surfaces covered with anti-scratch rubber
- No. 4 directional wheels equipped with brakes
- Max. load: 300 kg
- Ingombro: 4400 mm (a) x 835 mm (b) x 935 mm (c)
- Weight: 58 Kg

HE 601 T Profile trolley




Technical features

- Contact surfaces covered with anti-scratch rubber
- Adjustable side protective barriers
- Fall arrest devices with excludable profiles
- No. 2 fixed wheels and No. 2 directional wheels equipped with brakes
- Handles for moving
- Loadable profile length: min. 250 mm – max. 3300
- Max. load: 200 kg
- Ingombro: 2350 – 3950 mm (a) x 800 mm (b) x 1590 mm (c)
- Weight: 111 Kg

Technical Commercial Data Sheet

HE trolleys

HE 602 T Frame trolley



Technical features

- Contact surfaces covered with anti-scratch rubber
- No. 10 adjustable compartments 105 mm wide
- Base equipped with polyzene strips to facilitate the movement of the frame
- Handles for moving
- No. 2 fixed wheels and No. 2 directional wheels equipped with brakes
- Max. load: 515 kg
- Ingombro: 1145 mm (a) x 1000 mm (b) x 1195 mm (c)
- Weight: 88 Kg

Accessories on request

- Art. 400364 Guide rail for combination with WB703 bench

HE 600 T Window frame trolley

- Contact surfaces covered with anti-scratch rubber
- No. 5 compartments 200 mm wide
- Base equipped with rollers to facilitate movement of the frame
- No. 4 directional wheels, 2 of which are equipped with brakes
- Handles for moving
- Height-adjustable upper frame containment system
- Max. load: 1000 kg
- Ingombro: 1200 mm (a) x 1650 mm (b) x 2165 – 3180 mm (c)
- Weight: 188 Kg



Technical Commercial Data Sheet **HE trolleys**

HE 606 T Glass trolley

Technical features

- Contact surfaces covered with anti-scratch rubber
- Forklift lifting forks
- Inclined support surfaces to prevent glass from falling
- No. 2 fixed wheels and No. 2 directional wheels equipped with brakes
- Max. load: 400 kg
- Ingombro: 1730 mm (a) x 970 mm (b) x 1695 mm (c)
- Weight: 70 Kg



HE 603 T Gasket trolley

Technical features

- No. 4 roll holder stations with braking device
- Quick roll change system
- Provision for mounting an expansion of 6 roll holder stations
- No. 2 fixed wheels and No. 2 directional wheels equipped with brakes
- Maximum coil diameter: 600 mm
- Minimum coil diameter: 100 mm
- Ingombro: 850 mm (a) x 800 mm (b) x 1350 mm (c)
- Weight: 28 Kg



Accessories on request

- Art. 400252 Six-roll expansion for HE 603 T